



NATURA 2000 - STANDARD DATA FORM

For Special Protection Areas (SPA),
Proposed Sites for Community Importance (pSCI),
Sites of Community Importance (SCI) and
for Special Areas of Conservation (SAC)

SITE IT3320002
SITENAME Monti Dimon e Paularo

TABLE OF CONTENTS

- [1. SITE IDENTIFICATION](#)
- [2. SITE LOCATION](#)
- [3. ECOLOGICAL INFORMATION](#)
- [4. SITE DESCRIPTION](#)
- [5. SITE PROTECTION STATUS](#)
- [6. SITE MANAGEMENT](#)
- [7. MAP OF THE SITE](#)

1. SITE IDENTIFICATION

1.1 Type B	1.2 Site code IT3320002	Back to top
----------------------	-----------------------------------	-----------------------------

1.3 Site name

Monti Dimon e Paularo

1.4 First Compilation date 1995-06	1.5 Update date 2019-12
--	-----------------------------------

1.6 Respondent:

Name/Organisation: Regione Autonoma Friuli Venezia Giulia – Direzione centrale risorse agroalimentari, forestali e ittiche - Servizio biodiversità
Address: Via Sabbadini, 31 – 33100 Udine
Email: biodiversita@regione.fvg.it

1.7 Site indication and designation / classification dates

Date site classified as SPA:	0000-00
National legal reference of SPA designation	No data
Date site proposed as SCI:	1995-09
Date site confirmed as SCI:	No data
Date site designated as SAC:	2013-10
National legal reference of SAC designation:	DM 21/10/2013 - G.U. 262 del 8-11-2013

2. SITE LOCATION

2.1 Site-centre location [decimal degrees]:

[Back to top](#)

Longitude 13.0733 **Latitude** 46.5642

2.2 Area [ha]: 702.0 **2.3 Marine area [%]:** 0.0

2.4 Sitelength [km]:

0.0

2.5 Administrative region code and name

NUTS level 2 code	Region Name
--------------------------	--------------------

2.6 Biogeographical Region(s)

Alpine (100.0
%)

3. ECOLOGICAL INFORMATION

[Back to top](#)

3.1 Habitat types present on the site and assessment for them

Annex I Habitat types						Site assessment			
Code	PF	NP	Cover [ha]	Cave [number]	Data quality	A B C D	A B C		
						Representativity	Relative Surface	Conservation	Global
3130			0.89		G	C	C	B	B
3150			0.05		G	D			
4060			62.71		G	A	C	A	A
6150			57.52		G	A	C	A	A
6230			73.53		G	A	C	B	B
6430			138.55		G	A	C	A	A
7140			0.11		G	D			
8110			4.39		G	B	C	A	B
8220			0.66		G	C	C	A	C
9110			13.71		G	C	C	B	B
9410			29.04		G	B	C	B	B

- **PF:** for the habitat types that can have a non-priority as well as a priority form (6210, 7130, 9430) enter "X" in the column PF to indicate the priority form.
- **NP:** in case that a habitat type no longer exists in the site enter: x (optional)
- **Cover:** decimal values can be entered
- **Caves:** for habitat types 8310, 8330 (caves) enter the number of caves if estimated surface is not available.
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation)

3.2 Species referred to in Article 4 of Directive 2009/147/EC and listed in Annex II of Directive 92/43/EEC and site evaluation for them

Species					Population in the site					Site assessment				
G	Code	Scientific Name	S	NP	T	Size		Unit	Cat.	D. qual.	A B C D	A B C		
						Min	Max				Pop.	Con.	Iso.	Glo.
B	A223	Aegolius funereus			p	2	2	p		G	D			
B	A412	Alectoris graeca saxatilis			p	1	1	p		G	D			
B	A091	Aquila chrysaetos			p	3	3	i		G	C	A	C	A
I	1092	Austropotamobius pallipes			p				R	DD	D			
A	1193	Bombina variegata			p				R	DD	C	B	C	C
B	A104	Bonasa bonasia			p	4	5	p		G	C	B	C	B
B	A215	Bubo bubo			p	2	2	i		G	D			
B	A080	Circaetus gallicus			c				V	DD	D			
B	A236	Dryocopus martius			p	8	8	i		G	C	B	C	B
I	1065	Euphydryas aurinia			p				C	DD	B	B	B	B
B	A103	Falco peregrinus			p	2	2	i		G	D			
B	A217	Glaucidium passerinum			p	1	1	p		G	D			
B	A078	Gyps fulvus			c				R	DD	D			
B	A408	Lagopus mutus helveticus			p	1	1	p		G	D			
B	A338	Lanius collurio			r	1	1	p		M	D			
M	1361	Lynx lynx			c				P	DD	C	B	C	C
B	A072	Pernis apivorus			r	1	1	p		G	D			
B	A234	Picus canus			p	2	2	p		G	D			
B	A409	Tetrao tetrix tetrix			p	8	10	p		G	C	B	C	B
B	A108	Tetrao urogallus			p	7	7	i		G	C	B	C	B
M	1354	Ursus arctos			c				V	DD	C	A	C	C

- **Group:** A = Amphibians, B = Birds, F = Fish, I = Invertebrates, M = Mammals, P = Plants, R = Reptiles
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Type:** p = permanent, r = reproducing, c = concentration, w = wintering (for plant and non-migratory species use permanent)

- **Unit:** i = individuals, p = pairs or other units according to the Standard list of population units and codes in accordance with Article 12 and 17 reporting (see [reference portal](#))
- **Abundance categories (Cat.):** C = common, R = rare, V = very rare, P = present - to fill if data are deficient (DD) or in addition to population size information
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation); VP = 'Very poor' (use this category only, if not even a rough estimation of the population size can be made, in this case the fields for population size can remain empty, but the field "Abundance categories" has to be filled in)

3.3 Other important species of flora and fauna (optional)

Species					Population in the site				Motivation						
Group	CODE	Scientific Name	S	NP	Size		Unit	Cat.	Species Annex		Other categories				
					Min	Max		C R V P	IV	V	A	B	C	D	
P	1762	Arnica montana						C		X				X	
P		Carex pauciflora						V			X				
M	5603	Chionomys nivalis						C						X	X
R	1283	Coronella austriaca						C	X					X	X
R	1281	Elaphe longissima						R	X					X	X
I	1026	Helix pomatia						P		X				X	X
R	5676	Iberolacerta horvathi						C	X		X			X	X
P		Leontopodium alpinum						V			X				X
P		Lilium carnolicum						R			X				X
M	2606	Marmota marmota						C						X	X
M	1357	Martes martes						C		X	X			X	X
M	2631	Meles meles						C						X	X
I	1057	Parnassius apollo						P	X					X	X
I	1056	Parnassius mnemosyne						P	X					X	X
F		Phoxinus phoxinus						P			X				
R	1256	Podarcis muralis						R	X					X	X
A	1213	Rana temporaria						C		X				X	X
M	1369	Rupicapra rupicapra						C		X				X	X
A	1177	Salamandra atra						C	X		X			X	X
A	2351	Salamandra salamandra						R						X	X
F		Salmo [trutta] trutta						P			X				
F		Salvelinus alpinus						P						X	
A	2353	Triturus alpestris						C						X	X
R	5995	Zootoca vivipara carniolica						C			X			X	X

- **Group:** A = Amphibians, B = Birds, F = Fish, Fu = Fungi, I = Invertebrates, L = Lichens, M = Mammals, P = Plants, R = Reptiles
- **CODE:** for Birds, Annex IV and V species the code as provided in the reference portal should be used in addition to the scientific name
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Unit:** i = individuals, p = pairs or other units according to the standard list of population units and codes in accordance with Article 12 and 17 reporting, (see [reference portal](#))
- **Cat.:** Abundance categories: C = common, R = rare, V = very rare, P = present
- **Motivation categories:** IV, V: Annex Species (Habitats Directive), A: National Red List data; B: Endemics; C: International Conventions; D: other reasons

4. SITE DESCRIPTION

[Back to top](#)

4.1 General site character

Habitat class	% Cover
N22	0.94
N14	0.72
N23	1.12
N16	3.95
N06	0.14
N08	56.84
N07	0.02
N17	16.43
N11	19.84
Total Habitat Cover	100

Other Site Characteristics

Il sito include un sistema montuoso con substrato siliceo le cui due cime principali (Monte Dimon e Monte Paularo) superano di poco i 2000 metri s.l.m., e due piccoli laghetti. Vaste superfici sono occupate da nardeti ipsofilii con *Primula minima*, *Phyteuma hemisphaericum* e *Senecio incanus* ssp. *carniolicus*, da brughiere

subalpine a *Rhododendron ferrugineum* e da boscaglie ad ontano verde. Sono inclusi anche alcuni lembi di bosco di faggio e abete rosso. Molte aree di pascolo sono abbandonate o in via di abbandono e quindi soggette a fenomeni di incespugliamento. Nel sito è inclusa una piccola area sciistica oggi dismessa.

4.2 Quality and importance

Si tratta di un tipico rilievo su substrato siliceo a quote non elevate, che include importanti habitat caratteristici dei rilievi silicei. Dal punto di vista faunistico è una zona alpina con buona presenza delle principali specie avifaunistiche caratteristiche: tetraonidi, *Aquila chrysaetos*, *Aegolius funereus*, ecc. Nell'area sono segnalati *Bombina variegata*, *Ursus arctos*, *Lynx lynx*, *Cottus gobio* e *Euphydryas aurinia*. Nei dintorni è relativamente frequente *Iberolacerta horvathi*.

4.3 Threats, pressures and activities with impacts on the site

The most important impacts and activities with high effect on the site

Negative Impacts			
Rank	Threats and pressures [code]	Pollution (optional) [code]	inside/outside [i o b]
M	D01.01		i
M	K03.05		b
H	A04.03		i
M	F03.01		o
L	G01.06		i
H	K02.01		i
H	F03.01		i
M	G01.02		i

Rank: H = high, M = medium, L = low

Pollution: N = Nitrogen input, P = Phosphor/Phosphate input, A = Acid input/acidification,

T = toxic inorganic chemicals, O = toxic organic chemicals, X = Mixed pollutions

i = inside, o = outside, b = both

Positive Impacts			
Rank	Activities, management [code]	Pollution (optional) [code]	inside /outside [i o b]

4.4 Ownership (optional)

4.5 Documentation

BULGARINI F., CALVARIO E., FRATICELLI F., PETRETTI F. & SARROCCO S., 1999. Libro Rosso degli animali d'Italia. Vertebrati. WWf Italia ed., Roma: 1-210.
 DE LUISE G., 2006. I Crostacei decapodi di acqua dolce in Friuli Venezia Giulia. Recenti acquisizioni sul comportamento e sulla distribuzione nelle acque dolci della Regione. Venti anni di studi e ricerche. Ente Tutela Pesca del Friuli Venezia Giulia, Udine.
 DEL FAVERO R., POLDINI L., BORTOLI P.L., DREOSI G., LASEN C., VANONE G., 1998. La vegetazione forestale e la selvicoltura nella regione Friuli-Venezia Giulia. Reg. Auton. Friuli-Venezia Giulia, Direz. Reg. delle Foreste, Servizio Selvicoltura 1 pp. 440, 2: 1- 303, I-LIII, 61 grafici, Udine.
 FEOLI CHIAPELLA L., 1975-76. Florula del Massiccio Paularo - Dimon. Boll. Soc. Adriat. Sci. Trieste, 60:5-48.
 FORNACIARI G. & CECCONELLI F., 1971. Una nuova stazione di *Lomatogonium carinthiacum* R. Br. sulle Alpi Carniche. Inf. Bot. Ital., 3:118-119.
 LAPINI L., 1989. Primi dati sulla distribuzione della marmotta alpina (*Marmota m. marmota* Linne', 1758) nella regione Friuli-Venezia Giulia. Rapporto inedito all'Osservatorio Faunistico, sezione di Udine.
 PITT F. & CODOGNO M., 1999 (1997). Fitosociologia ed ecologia delle ontanete subalpine. Rev. Valdôtaine Hist. Nat. 51(suppl.): 239-249.
 POLDINI L. & NARDINI S., 1993. Boschi di forra, faggete e abieteti in Friuli (NE Italia). Studia Geobot., 13:215-298.
 POLDINI L. & ORIOLO G., 1997. La vegetazione dei pascoli a *Nardus stricta* e delle praterie subalpine acidofile in Friuli (NE-Italia). Fitosociologia, 34: 127-158.
 POLDINI L., 1975. Contributi critici alla conoscenza della flora delle Alpi Friulane e del loro avanterra. Note miscellanee. Webbia, 29(2):437-538.
 POLDINI L., 2002. Nuovo Atlante corologico delle piante vascolari nel Friuli Venezia Giulia. Reg. Auton. Friuli-Venezia Giulia, Direz. Reg. delle Foreste, Dipartimento di Biologia, Università di Trieste, pp. 529, Udine.
 POLDINI L., BRESSAN E., 2007. I boschi di abete rosso ed abete bianco in Friuli (Italia nord-orientale). Fitosociologia 44(2): 15-54.
 POLDINI L., ORIOLO G., FRANCESCATO C., 2004. Mountain pine scrubs and heaths with Ericaceae in the south-eastern Alps. Plant Biosystems 138(1): 53-85.
 POLDINI L., ORIOLO G., VIDALI M., TOMASELLA M., STOCH F., OREL G. (2006) Manuale degli habitat del Friuli Venezia Giulia. Strumento a supporto della valutazione d'impatto ambientale (VIA), ambientale strategica (VAS) e d'incidenza ecologica (VIEc) (Corredato dalla cartografia degli habitat FVG della Laguna di Grado e Marano). Region. Autonoma Friuli Venezia Giulia – Direz. Centrale ambiente e lavori pubblici – Servizio valutazione impatto ambientale, Univ. Studi Trieste – Dipart. Biologia, <http://www.regione.fvg.it/ambiente/manuale/home.htm>

5. SITE PROTECTION STATUS (optional)

5.1 Designation types at national and regional level:

[Back to top](#)

Code	Cover [%]	Code	Cover [%]	Code	Cover [%]
IT42	100.0	IT14	6.0	IT13	100.0

5.2 Relation of the described site with other sites:

designated at national or regional level:

Type code	Site name	Type	Cover [%]
IT42	ZPS IT3321001 Alpi Carniche	-	100.0

5.3 Site designation (optional)

6. SITE MANAGEMENT

6.1 Body(ies) responsible for the site management:

[Back to top](#)

Organisation:	Regione Autonoma Friuli Venezia Giulia – Direzione centrale risorse agroalimentari, forestali e ittiche – Servizio biodiversità
Address:	Via Sabbadini, 31 – 33100 Udine
Email:	biodiversita@regione.fvg.it

6.2 Management Plan(s):

An actual management plan does exist:

<input type="checkbox"/>

- Yes
 No, but in preparation
 No

6.3 Conservation measures (optional)

DGR 726 dell'11.04.2013 "Misure di conservazione dei 24 SIC della regione biogeografica alpina del Friuli Venezia Giulia" pubblicata sul III SUPPLEMENTO ORDINARIO N. 19 DEL 24 APRILE 2013 AL BUR N. 17 DEL 24 APRILE 2013 <http://bur.regione.fvg.it/newbur/visonaBUR?bnum=2013/04/24/19>

7. MAP OF THE SITES

[Back to top](#)

INSPIRE ID:

Map delivered as PDF in electronic format (optional)

Yes No

Reference(s) to the original map used for the digitalisation of the electronic boundaries (optional).