



NATURA 2000 - STANDARD DATA FORM

For Special Protection Areas (SPA),
Proposed Sites for Community Importance (pSCI),
Sites of Community Importance (SCI) and
for Special Areas of Conservation (SAC)

SITE IT3310012
SITENAME Bosco Torrate

TABLE OF CONTENTS

- [1. SITE IDENTIFICATION](#)
- [2. SITE LOCATION](#)
- [3. ECOLOGICAL INFORMATION](#)
- [4. SITE DESCRIPTION](#)
- [5. SITE PROTECTION STATUS AND RELATION WITH CORINE BIOTOPES](#)
- [6. IMPACTS AND ACTIVITIES IN AND AROUND THE SITE](#)
- [7. MAP OF THE SITE](#)

1. SITE IDENTIFICATION

1.1 Type B	1.2 Site code IT3310012	Back to top
----------------------	-----------------------------------	-----------------------------

1.3 Site name

Bosco Torrate

1.4 First Compilation date 1995-06	1.5 Update date 2012-05
--	-----------------------------------

1.6 Respondent:

Name/Organisation:	Regione Autonoma Friuli Venezia Giulia – Direzione Centrale risorse rurali, agroalimentari e forestali – Servizio caccia, risorse ittiche e biodiversità
Address:	Via Sabbadini, 31 – 33100 Udine
Email:	s.caccia.pesca.amb.naturali@regione.fvg.it

Date site proposed as SCI:	1995-09
Date site confirmed as SCI:	No data
Date site designated as SAC:	No data
National legal reference of SAC designation:	No data

2. SITE LOCATION

[Back to top](#)

2.1 Site-centre location [decimal degrees]:

Longitude

12.0678

Latitude

45.6608

2.2 Area [ha]:

11.0

2.3 Marine area [%]

0.0

2.4 Sitelength [km]:

0.0

2.5 Administrative region code and name

NUTS level 2 code

Region Name

ITD4

Friuli-Venezia Giulia




2.6 Biogeographical Region(s)

Continental (100.0
%)

3. ECOLOGICAL INFORMATION

3.1 Habitat types present on the site and assessment for them

[Back to top](#)

Annex I Habitat types						Site assessment			
Code	PF	NP	Cover [ha]	Cave [number]	Data quality	A B C D	A B C		
						Representativity	Relative Surface	Conservation	Global
3260 			0.02		G	C	C	C	C
91L0 			9.14		G	A	C	B	B
92A0 			1.46		G	C	C	C	C

- **PF:** for the habitat types that can have a non-priority as well as a priority form (6210, 7130, 9430) enter "X" in the column PF to indicate the priority form.
- **NP:** in case that a habitat type no longer exists in the site enter: x (optional)
- **Cover:** decimal values can be entered
- **Caves:** for habitat types 8310, 8330 (caves) enter the number of caves if estimated surface is not available.
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation)

3.2 Species referred to in Article 4 of Directive 2009/147/EC and listed in Annex II of Directive 92/43/EEC and site evaluation for them

--	--	--

Species					Population in the site						Site assessment			
G	Code	Scientific Name	S	NP	T	Size		Unit	Cat.	D.qual.	A B C D	A B C		
						Min	Max				Pop.	Con.	Iso.	Glo
I	1092	Austropotamobius pallipes			p				P	M	D			
A	1193	Bombina variegata			p				C	M	C	B	C	C
I	1071	Coenonympha oedippus			p				V	M	C	C	B	B
F	1163	Cottus gobio			p				C		D			
B	A236	Dryocopus martius			w	1	1	i		G	D			
R	1220	Emys orbicularis			p				R	M	C	B	C	C
I	1065	Euphydryas aurinia			p				C	M	B	B	B	B
B	A338	Lanius collurio			r	2	2	p		G	D			
F	1097	Lethenteron zanandreaei			p				P		C	C	C	C
I	1083	Lucanus cervus			p				P	M	D			
I	1060	Lycaena dispar			p				P	G	D			
B	A073	Milvus migrans			c				R		D			
B	A072	Pernis apivorus			r				R		D			
A	1215	Rana latastei			p				C	M	C	B	C	C
A	1167	Triturus carnifex			p				C	M	C	B	C	B

- **Group:** A = Amphibians, B = Birds, F = Fish, I = Invertebrates, M = Mammals, P = Plants, R = Reptiles
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Type:** p = permanent, r = reproducing, c = concentration, w = wintering (for plant and non-migratory species use permanent)
- **Unit:** i = individuals, p = pairs or other units according to the Standard list of population units and codes in accordance with Article 12 and 17 reporting (see [reference portal](#))
- **Abundance categories (Cat.):** C = common, R = rare, V = very rare, P = present - to fill if data are deficient (DD) or in addition to population size information
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation); VP = 'Very poor' (use this category only, if not even a rough estimation of the population size can be made, in this case the fields for population size can remain empty, but the field "Abundance categories" has to be filled in)

3.3 Other important species of flora and fauna (optional)

[illegible]

R	1283	austriaca						R	X				X	X
R	1281	Elaphe longissima						R	X				X	X
I	1026	Helix pomatia						P		X			X	X
R	5670	Hierophis viridiflavus						C	X				X	X
A	5358	Hyla intermedia						C					X	X
R	1263	Lacerta viridis						C	X				X	X
I	1067	Lopinga achine						C	X				X	X
M	1341	Muscardinus avellanarius						R	X		X		X	X
M	1358	Mustela putorius						R		X	X		X	X
R	1292	Natrix tessellata						R	X				X	X
M	2016	Pipistrellus kuhlii						C	X		X		X	X
M	1326	Plecotus auritus						P	X		X			X
R	1256	Podarcis muralis						C	X				X	X
A	1209	Rana dalmatina						C	X				X	X
A	1210	Rana esculenta						C		X			X	X
A	1207	Rana lessonae						C	X				X	X
R	5902	Vipera aspis francisciredi						P					X	X

- **Group:** A = Amphibians, B = Birds, F = Fish, Fu = Fungi, I = Invertebrates, L = Lichens, M = Mammals, P = Plants, R = Reptiles
- **CODE:** for Birds, Annex IV and V species the code as provided in the reference portal should be used in addition to the scientific name
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Unit:** i = individuals, p = pairs or other units according to the standard list of population units and codes in accordance with Article 12 and 17 reporting, (see [reference portal](#))
- **Cat.:** Abundance categories: C = common, R = rare, V = very rare, P = present
- **Motivation categories:** **IV, V:** Annex Species (Habitats Directive), **A:** National Red List data; **B:** Endemics; **C:** International Conventions; **D:** other reasons

4. SITE DESCRIPTION

4.1 General site character

[Back to top](#)

Habitat class	% Cover
N16	99.0
N06	1.0

Other Site Characteristics

Il sito include un'area formata da alluvioni, con falda freatica emergente e completamente boscata. Il bosco è composto prevalentemente da farnia e carpino bianco. Grazie al particolare microclima sono presenti specie quali *Veratrum album lobelianum*, *Daphne mezereum* e *Lilium martagon*

4.2 Quality and importance

E' uno degli ultimi lembi di bosco della pianura friulano-veneta, che si distingue fitogeograficamente da quelli della rimanente pianura padana per una maggiore presenza dell'elemento illirico-balcanico. E' un sito rilevante a livello regionale per la presenza di uccelli, non necessariamente di interesse comunitario, nidificanti in ambiente boschivo, nella bassa pianura coltivata. La zona ospita una comunità erpetologica di pregio (*Emys orbicularis*, *Bombina variegata*, *Rana latastei*, *Triturus carnifex*, *Zamenis longissimus*, ecc.). *Mustela putorius* è ancora presente. Nell'area è segnalato *Lucanus cervus*. *Plecotus auritus* è stato raccolto a S. Vito al Tagliamento. Nella roggia del Molino è presente *Austropotamobius pallipes*. Per il sito esistono, inoltre, segnalazioni inedite di *Lycaena dispar*, *Coenonympha oedippus* e *Euphydryas aurinia*.

4.3 Threats, pressures and activities with impacts on the site

The most important impacts and activities with high effect on the site

Negative Impacts			
Rank	Threats and pressures [code]	Pollution (optional) [code]	inside/outside [i o b]
H	B02		i
H	F03.01		b
M	I01		b
M	B02.04		b
H	A01		o
M	F02		o
M	A08		o

Rank: H = high, M = medium, L = low

Pollution: N = Nitrogen input, P = Phosphor/Phosphate input, A = Acid input/acidification,

T = toxic inorganic chemicals, O = toxic organic chemicals, X = Mixed pollutions

i = inside, o = outside, b = both

Positive Impacts			
Rank	Activities, management [code]	Pollution (optional) [code]	inside/outside [i o b]

4.5 Documentation

AA.VV., 2010. Torrate. Aspetti faunistici. ASTORE-FVG ed., pubbl. n. 3: 1-129. BULGARINI F., CALVARIO E., FRATICELLI F., PETRETTI F. & SAROCCO S., 1999. Libro Rosso degli animali d'Italia. Vertebrati. WWf Italia ed., Roma: 1-210. DEL FAVERO R., POLDINI L., BORTOLI P.L., DREOSSI G., LASEN C., VANONE G., 1998. La vegetazione forestale e la selvicoltura nella regione Friuli-Venezia Giulia. Reg. Auton. Friuli-Venezia Giulia, Direz. Reg. delle Foreste, Servizio Selvicoltur 1 pp. 440, 2: 1- 303, I-LIII, 61 grafici, Udine LAPINI L., 1991. Il Visone americano nel Friuli-Venezia Giulia. Fauna, 2:44-49, Udine. LAUSI D., 1966. Zur Klimax-Frage der friaulischen Ebene. Mitt. Ostalpin-dinar. Pflanzensoziol. Arbeitsgem., 7:41-46. MARINCEK L., 1994. Zur nomenklatur der Hainbuchenwälder des Erythronio-Carpinion Simpozij - Pevalek (Zagreb), 57-62. ORIOLO G., DEL FAVERO G., SIARDI E., DREOSSI G. F., VANONE G., 2010. Tipologie dei boschi ripariali e palustri in Friuli Venezia Giulia. Regione Autonoma Friuli Venezia Giulia. 95 pp. PARODI R., 1987. Atlante degli uccelli nidificanti in provincia di Pordenone. Mus. Civ. Stor. Nat. Pordenone, Quaderno 1, pp. 117. PARODI R., 2004 - Avifauna in provincia di Pordenone. Provincia di Pordenone, Pordenone. POLDINI L., VIDALI M., GANIS P., 2011. Riparian Salix alba: Scrubs of the Po lowland (N-Italy) from an European perspective. Pl. Bios. 145 (sup.1): 132-147 SBURLINO G., POLDINI L., VENANZONI R., GHIRELLI L., 2011. Italian black alder swamps: Their syntaxonomic relationships and originality within the European context. Pl. Biosyst. 145, Supplement: 148-171 SBURLINO G., TOMASELLA M., ORIOLO G., POLDINI L., F. BRACCO, 2008. La vegetazione acquatica e palustre dell'Italia nord-orientale 2 - La classe Potametea Klika in Klika et V. Novák 1941. Fitosociologia 45(2): 3-41. TAIARIOL P. L., 2010. Gli uccelli. In: Fiorenza T., Paradisi S., Pasut D. & Taiariol P. L., 2010. Torrate. Aspetti faunistici. Pubblicazione n° 3, A.ST.O.R.E.-FVG, 130 pp.

5. SITE PROTECTION STATUS (optional)

[Back to top](#)

5.1 Designation types at national and regional level:

Code	Cover [%]	Code	Cover [%]	Code	Cover [%]
IT95	100.0				

6. SITE MANAGEMENT

[Back to top](#)

6.1 Body(ies) responsible for the site management:

Organisation:	Regione Autonoma Friuli Venezia Giulia – Direzione Centrale risorse rurali, agroalimentari e forestali – Servizio caccia, risorse ittiche e biodiversità
Address:	Via Sabbadini, 31 – 33100 Udine
Email:	s.caccia.pesca.amb.naturali@regione.fvg.it

6.2 Management Plan(s):

An actual management plan does exist:

<input type="checkbox"/>	Yes
<input checked="" type="checkbox"/>	No, but in preparation
<input type="checkbox"/>	No

7. MAP OF THE SITES

[Back to top](#)

INSPIRE ID:

--

Map delivered as PDF in electronic format (optional)

☒ Yes ☐ No

Reference(s) to the original map used for the digitalisation of the electronic boundaries (optional).

--